


Project Address:

Civic Address
50 Government St
Victoria, BC

Legal Address Description:
Property ID: 007-326-122
Legal Amended Lot 9, Beckley Farm, Victoria District,
Plan 229

OEZA DEVELOPMENTS



Architect

Waymark Architecture
1826 Government Street
Victoria BC V8T 4N5

Contact: Will King
Phone: 778 977 0660
Email: will@waymarkarchitecture.com

Landscape

G | ALA Gauthier + Associates Landscaping
308 877 Hastings St
Vancouver, BC

Contact: Bryce Gauthier
Phone: 604 317 9682
Email: bryce@gauthierla.com

Code Consultant


Celerity Engineering Limited
102-5166 Cordova Bay Road
Victoria, BC V8Y 2K6

Contact: Corie Lubben
Phone: 250 410 2021 extension 205
Email: clubben@celerity.ca


Civil Engineer

McElhanney
3960 Quadra St #500
Victoria, BC V8X 4A3

Contact: Nathan Dunlop
Phone: 778 746 7417
Email: ndunlop@mcelhanney.com



HOW THIS PROPOSAL SUPPORTS THE VICTORIA 2050 OCP




Bike Routes




50 Government Street is in a Priority Growth Area, close to James Bay Village and Holland Point Village. It is located along the Government Street bike corridor and close to transit routes along Niagra, Douglas and Menzies.

The development proposes a rental building catering to car-free families and individuals with a focus on car sharing, bikes and other human powered transportation.



Transit Routes



City staff have been asked to investigate designating James Bay as a Heritage Conservation Area. It is reasonable to assume that this is not what is envisioned for James Bay!

For 50 Government the primary facade is facing the neighbours not the street. The required setback is 9m for buildings with more than 4 storeys. The developer is requesting a variance for 1.55m




5 storeys plus part below ground basement = 6 storeys



1-bedroom, 483 to 690sq.ft.
2-bedroom, 729 to 821sq.ft.
3 bedroom, 984 to 1082sq.ft.

The proposed development maintains the concept of the perimeter block concept with a new 5 story residential rental building. The proposed development provides a new building type within the existing fabric on the block, helping the neighbourhood realize the envisioned built form in the OCP.



50 Government Street is within walking distance to Holland Point and James Bay Neighbourhood Centers. The region is noted as a Priority Growth Area.

Complete Communities Anchored by a Downtown Core:

Providing low-carbon residential infill within walking distance of the Holland Point Village and James Bay community nodes, and with immediate access to the Transit Priority Network.

Climate Forward Growth:

Utilizing low-carbon building materials and providing amenities that support the shift to low-carbon mobility modes.

Diverse Housing Options:

Directly addresses housing diversity with secured rental units, where 35% offer two or more bedrooms and 24% offer three bedrooms, making the project suitable for families and children.

Both overlooking neighbours and not conveniently accessible by all residents; see comments on later drawings


Livable Public and Private Spaces:

Offering generously sized units and three outdoor amenity spaces (including two rooftop decks) and comprehensive bicycle accommodations.

Land to Thrive and Prosper:

Maximizes land use by replacing and adding rental units on an underdeveloped existing housing lot, thereby efficiently using urban land and supporting the preservation of working lands.

No, not envisioned by the OCP. Apart from the 5 lots closest to Dallas Rd. all lots except for 50 Government St., are less than 540m² and are limited by the OCP zoning to 3 storeys



OEZA
DEVELOPMENTS

James Bay Development

2026-01-19
RZ-001

OCP Compliance

HOW THIS PROPOSAL COMPLIES WITH THE NEW ZONING BYLAW

Category	Zoning Bylaw 2018	50 Government Proposal	Complies?	Explanation
Family Units	3.1.30.c For Buildings greater than 3 Storeys, i) at least 10% of the Dwelling Units must have three Bedrooms or more, and ii) an additional 20% of the Dwelling Units must have two Bedrooms or more;	35% of dwelling units have two bedrooms and 23.5% are three bedrooms	YES	17 rental apartments proposed: (4 – 3 bedrooms, 2 – 2 bedrooms, 11 – 1 bedrooms). Proposal significantly exceeds minimum family unit requirements.
Dwelling Unit Size	3.1.30.a The minimum size of a Dwelling Unit in a Residential Building is 33m ²	Mix of 44 m ² to 100 m ²	5 storeys + basement = 6 storeys	meets minimum size.
Height Limit	4.1.3.a.ii 17m for buildings over 4 storeys and up to 5 storeys	16.565 m (5 storeys)	YES	Complies with the maximum allowable height for a five-storey building.
Lot Coverage	4.1.6.a 55% maximum for buildings greater than 3 storeys with three or more dwelling units	≈ 51.8 %	not checked	Provides a balanced approach to coverage while maximizing open space availability.
Open Lot Space	4.1.6.b 30% minimum for buildings greater than 3 storeys with three or more dwelling units	≈ 40 %	not checked	The design provides enhanced open space and exceeds the minimum requirement.
Landscape Area	4.1.6.c 10% minimum of lot area for buildings greater than 3 storeys with three or more dwelling units	≈ 10.9%	not checked	Exceeds minimum landscaping requirements, contributing to canopy growth. Replacing an existing paved parking area.
Front Setback	4.1.4.a 4.0 m minimum for buildings greater than 3 storeys with three or more dwelling units	≈ 5.0 m	YES	Setback is in keeping with the neighbourhood.
Side Setbacks	4.1.4.c 9.0 m minimum to a Primary Façade above 4 storeys	1.55 m / 2.19 m	9m minimum side setback req'd; 1.55 / 2.19 m variance	to the
Rear Setback	4.1.4.d 8.0 m or 25% of lot depth, whichever is greater	5.65 m	8.6m minimum rear setback req'd (25% of depth); 5.65m variance requested	
Lot Area	4.1.7.a 540 m ² minimum for buildings greater than 3 storeys with three or more dwelling units	586.27 m ²	30m minimum frontage is required for 5 storey building; this building is 5 storeys plus basement = 6 storeys and requires 36m; 17.5m requested*	
Street Frontage	4.1.7.b.ii 30 m minimum for buildings up to 5 storeys	17.5 m	17.5m requested*	
Parking	5.1.1.2 21 parking spaces based on parking requirements for Apartment (Dwelling Unit secured as rental in perpetuity through a legal agreement) within zone GRD-1	1 car share for residents and 1 visitor parking space sized for accessible van use	VARIANCE	17 + 2 visitor minimum req'd; 1 carshare+1 visitor variance requested
Accessible Parking	5.7.1.a Minimum of 1 Van accessible parking space for 6-25 spaces	1 accessible sized van parking stall	YES	This is the same visitor space listed above i.e. there are 2 parking spaces; 1 carshare and 1 visitor/ accessible
Short Term Bike Parking	5.1.1.2 6 short term bike parking spaces based on parking requirements for Apartment (Dwelling Unit secured as rental in perpetuity through a legal agreement) within zone GRD-1	6 short term bike parking spaces are provided under cover near the main entry	YES	
Long Term Bike Parking	5.1.1.2 22 long term bike parking spaces based on parking requirements for Apartment (Dwelling Unit secured as rental in perpetuity through a legal agreement) within zone GRD-1	38 bike parking spaces are provided in a ground floor bike room	YES	Low-carbon mobility mode shift and leveraging the site's location on the Cycling Network.
Density	Schedule C – Density Benefits a 2.6:1 for A Lot that is in a Priority Growth Area and all Dwelling Units on the Lot are secured by legal agreement as rental tenure in perpetuity or secured as Residential Rental Tenure zoning,	2.13 FSR, secured rental in perpetuity	not checked	Density is well below the 2.6 FSR maximum.

Correct, the lot is too small!

The proposal requires **setback variances** due to the **limitations imposed by the property's frontage requirements**. Importantly, however, the proposed **density** remains **fully compliant** with the **zoning bylaw** and effectively supports the overall **OCP objectives**.


but, it is not even close to meeting the OCP Design Guidelines and Bylaw setback and frontage requirements




Proposal at 50 Government Street

the "Xs" indicate designated or registered heritage homes. This area of Government St. applied to become a Heritage Conservation Area in December 2022 and is currently under review by the City






REVISIONS TO MASSING IN RESPONSE TO COTW MOTION AND CITY OF VICTORIA 2050 OCP




REMOVE EXTERNAL EXIT STAIRS, INCREASE SETBACKS AND OUTDOOR SPACE

External stairs were removed from the building (per COTW resolution 2.c.vii) and placed into a single stair exit configuration with no oversight into neighbour's properties. The building was reduced in size by increasing the front and rear yard setbacks, with significant emphasis on providing amenity space for all residents in the rear yard (to address COTW resolutions 2.c.i, 2.c.ii, 2.c.iii, 2.c.iv and 2.c.vi).




REMOVE PEAKED ROOF AND LOWER BUILDING

The high peaked roof with large open gabled ends was removed, and the overall building height was reduced. Living spaces in the lofts were deleted, and the floor-to-ceiling heights were lowered at each level (per COTW resolutions 2.c.v and 2.c.vi).




STEP MASSING DOWN ON SOUTH SIDE

The massing of the building is stepped down on the south side to reflect the smaller neighbour (per COTW resolution 2.c.v and 2.c.vi).





CENTRALIZED BALCONIES AND RECESSED ENTRY

Balconies on upper levels are removed from the front and back and focused on a central exterior area. These exterior spaces are positioned to overlook the roof instead of the neighbour's backyard. The recessed entry provides covered areas for visitor bikes and accessible parking requirements (per COTW resolutions 2.a, 2.c.ii, 2.c.v and 2.c.vi).



ADD ONE FLOOR OF ADDITIONAL HOUSING

An additional floor of rental units was added to the project to align with objectives and to more closely align with the additional density envisaged for rental housing projects in the Priority Growth Area.



To date 9 proposals have been submitted to the City.

Every version including the current submission remains out of compliance and continues to disregard clear City and Council guidance.

Repeated non-compliant submissions waste staff time, Council resources, and taxpayer dollars



1 Existing Building, 50 Government



2 Proposed Building, 50 Government




3 Proposed Building, 50 Government



4 Proposed Building, 50 Government



1 Government Street Elevation - Existing Building
Scale: 1:200



2 Government Street Elevation - Proposed Building
Scale: 1:200

17.5m available frontage
OCP requires 36m frontage

Decks overlooking neighbours
2.19m side setback, 9m required
1.55m side setback, 9m required
These two bedroom windows open into car parking space
Designated & Registered heritage houses

6 not 5 storeys





1 Battery Street Elevation - Proposed Building (Looking North)
Scale: 1:200



8.6m rear setback required;
only 5.6m provided





2 Battery Street Elevation - Proposed Building (Looking South)
Scale: 1:200













This "outdoor space" has been created on the roof of the left hand portion of the building, and will likely be regarded as exclusive to the 3rd (actually 4th) floor tenants. Any gathering here will create noise and privacy issues both to the two adjacent suites and to the neighbour to the South






Deck overlooks rear neighbour



1 Long Section Facing South
Scale: 1:100




3 Building Cross Section
Scale: 1:100

Decks & large windows overlook South neighbour


North neighbour

Rear neighbour


Patio is against property line. This is a potential smoking area. Noise, light, lack of privacy and cigarettes smoke 6ft from the neighbours bedroom window






2 Long Section Facing South
Scale: 1:100



Section Key Plan



1 Sightlines (Section)
Scale: 1:100




CODE ANALYSIS		BCBC REFERENCE
2018 BC building code, data matrix part 3 (Project in-stream)		References are to division B unless noted [A] for division A or [C] for division C.
Project Description: New Construct	6	
Major Occupancy: Residential group C	3.1.2.1	
Building area: 114.3 m ²	14.1.2 [A]	
Number of stories: 5	3.2.1.1	
Number of streets/fire fighter access: 1	3.2.2.10	
Principal building is classified as following:		
3.2.2.50. Group C, up to 6 Storeys, Sprinklered		
The building is permitted to be of combustible construction or noncombustible construction used singly or in combination	3.2.2.50.	
Floor assemblies shall be fire separations with a fire-resistance rating not less than 1 h	3.2.2.50.	
Roof assemblies shall have a fire-resistance rating not less than 1 h	3.2.2.50.	
Adjacent Occupancies: C		
Sprinklered : Yes	3.2.2.50.	
Fire alarm: Yes	3.2.4.	
Standpipe required: Yes	3.2.9.	
Water service/supply is adequate: Yes	3.2.5.7	
This project will be subject to 3.2.10: Requirements for Residential Buildings with a Single Exit	3.2.10.	
Occupant load based on: m ² /person and design of building		
The occupant load for residential suites is two persons per sleeping room:		
Basement = 6 persons (1 3-bedroom units)		
1st floor = 8 persons (2 1-bedroom units, 1 2-bedroom unit)		
2nd floor = 10 persons (3 1-bedroom units, 1 2-bedroom unit)		
3rd floor = 8 persons (4 1-bedroom units)		
4th floor = 8 persons (2 1-bedroom units, 1 3-bedroom unit)		
5th floor = 12 persons (2 3-bedroom units)		
For storage garage:		
Occupant load = Garage area / 46 (sm/person)		
Bike parking: (69.7m ² + 7.6m ²) = 77.3m ² / 46m ² = 1.7 (2 persons)		
Total occupancy = 54 persons		
Minimum number of exits per unit required: 1, proposed 1	3.2.10.	
		3.1.17.1



The BC Association of Fire Chiefs have serious concerns regarding a single exit from a building higher than 4 storeys. The Victoria Fire Chief opposes a single staircase. The sideways orientation of the building and extreme reduction to the required side setbacks will make it impossible to reach the balconies in case of a fire.

DATA SHEET/ZONING ANALYSIS			
LEGAL DESCRIPTION: Property ID 007-326-122, Lot 9, Beckley Farm, Victoria District, Plan 229			
STREET ADDRESS: 50 Government St			
CURRENT ZONING: GRD-1 Priority Growth Area			
PROPOSED ZONING: GRD-1 Priority Growth Area			
SITE AREA: 586.27 m ²			
BUILDING FOOTPRINT: 303.39 m ²			
Zoning Criteria	Proposal	GRD-1 PGA	Victoria 2050 OCP vision
Site Area (m ²) (min.)	586.27 m ²	540 m ²	
Street Frontage (m) (min.)	17.07 m	30 (for 5 storey buildings)	*Variance requested to meet lot width
Total floor area (m ²) (max.)	1250.5 m ²		
Floor Space Ratio			Priority Growth Area, with density up to 2.6 FSR
Unit floor area (m ²) (min.)	44.89 m ²		
Avg Grade	17.75 m		
Building Height (m) (max.)	16.57 m	17m for 4-5 storey buildings	Buildings that transition between smaller existing buildings and newer larger developments up to 6 storeys
Storeys (max.)	5 storeys	6	Buildings up to six storeys, and taller in some areas
Setbacks (m) (min.)			
Front Setback	5.19m	5.0	
Rear (NW)	5.65 m	8 (or 25% lot depth)	*Variance requested. Setbacks are similar to others in neighbourhood
Side (NE)	1.55 m	7.5 m up to 4 storeys, 9.0 above	*Variance requested. Setbacks are similar to others in neighbourhood
Side (SW)	2.19 m	7.5 m up to 4 storeys, 9.0 above	*Variance requested. Setbacks are similar to others in neighbourhood
Site Coverage	51.75%	60%	
Open site space - lot (min.)	41.21%	30%	
Landscape Area	10.91%	10%	
Off Street Parking			
Car Parking	0 - Visitor 1 - Car Share for Residents	Dwelling Units Secured as Rental 17 spaces 2 - Visitor 19 - Total	Car share parking space will have an electric car charger
Accessible	0	0	
Van accessible	1	1	
Bicycle storage			
Long Term	38*	18	*Bike stalls in excess of those required could be replaced with mobility scooter parking according to resident need.
Short Term Bicycle parking	6	6	
UNIT TYPES			
11 One Bedroom units @ 44.9 to 64.1 m ²			
2 Two Bedroom units @ 67.7 to 86.7 m ²			
4 Three Bedroom units @ 86.7 -100.6 m ²			






*Note: All bedroom windows to be operable.

Chart on Page 3
states the 21 parking
spaces are required





Lot Area: 586.276 m²
Floor Areas:
 Basement: 0 m²
 Level 1: 228.372 m²
 Level 2: 277.874 m²
 Level 3: 232.917 m²
 Level 4: 214.939 m²
 Level 5: 203.564 m²
Total Floor Area: 1157.666 m²
Floor Space Ratio: 1.97:1



Average Grade Calculation:
 A & B $(18.09 + 18.07) / 2 \times 3.65 = 65.99$
 B & C $(18.07 + 18.07) / 2 \times 3.97 = 71.74$
 C & D $(18.07 + 18.07) / 2 \times 5.98 = 108.06$
 D & E $(18.07 + 18.24) / 2 \times 5.01 = 90.96$
 E & F $(18.24 + 18.24) / 2 \times 3.50 = 63.84$
 F & G $(18.24 + 18.07) / 2 \times 8.43 = 153.05$
 G & H $(18.07 + 18.07) / 2 \times 0.66 = 11.93$
 H & I $(18.07 + 17.17) / 2 \times 14.47 = 254.96$
 I & J $(17.17 + 17.17) / 2 \times 1.61 = 27.64$
 J & K $(17.17 + 17.17) / 2 \times 2.97 = 50.99$
 K & L $(17.17 + 17.52) / 2 \times 1.56 = 27.06$
 L & M $(17.52 + 17.45) / 2 \times 5.46 = 95.47$
 M & N $(17.45 + 17.50) / 2 \times 10.67 = 186.46$
 N & O $(17.50 + 17.15) / 2 \times 6.27 = 108.63$
 O & P $(17.15 + 17.62) / 2 \times 2.59 = 45.03$
 P & A $(17.62 + 18.09) / 2 \times 17.19 = 306.93$
 Total = 1668.74, Perimeter = 93.99
 1670.27 / 93.99 = 17.75
 Average Grade: 17.75







Table 3.2.3.1-D, BCBC
 DISTANCE TO PROPERTY LINE = 2.19 m
 AREA = 376.67 m²
 PROPOSED UNPROTECTED AREA = 49.77 m²

UNPROTECTED OPENING ALLOWED 16%, 60.27 m²
 PROPOSED OPENING 13.21%



Table 3.2.3.1-D, BCBC
 DISTANCE TO PROPERTY LINE = 1.36 m
 AREA = 381.62 m²
 PROPOSED UNPROTECTED AREA = 42.06 m²

UNPROTECTED OPENING ALLOWED 14%, 53.43 m²
 PROPOSED OPENING 12.79%




Table 3.2.3.1-D, BCBC
 DISTANCE TO PROPERTY LINE = 5.65 m
 AREA = 200.82 m²
 PROPOSED UNPROTECTED AREA = 42.06 m²
 UNPROTECTED OPENING ALLOWED 40%, 80.33 m²
 PROPOSED OPENING 20.94%








Table 3.2.3.1-D, BCBC
 LIMITING DISTANCE = 10.08m
 AREA = 194.16 m²
 PROPOSED UNPROTECTED AREA = 54.17 m²
 UNPROTECTED OPENING ALLOWED 100%, 194.16 m²
 PROPOSED OPENING 27.90%





50 GOVERNMENT ST

REISSUED FOR REZONING

ARCHITECTS:
WAYMARK ARCHITECTURE, INC.

WILL KING
will@waymarkarchitecture.com
778.977.0660

GEORGIA MCGRAW
georgia@waymarkarchitecture.com


LANDSCAPE ARCHITECT:
**G | ALA GAUTHIER + ASSOCIATES LANDSCAPE
ARCHITECTS INC.**

BRYCE GAUTHIER
bryce@gauthierla.com
604.317.9682

JIAHUI HUANG
jiahui@gauthierla.com
778.681.8766

LANDSCAPE DRAWING INDEX PERMIT

Sheet No.	Sheet Name
L0.0	COVER SHEET
L0.1	OVERALL SITE PLAN
L0.2	TREE MANAGEMENT PLAN
L0.3	PRECEDENT IMAGES
L1.0	LAYOUT + MATERIALS PLAN - LEVEL 1
L1.1	PLANTING PLAN - LEVEL 1
L1.2	GRADING PLAN - LEVEL 1
L1.3	UTILITY PLAN - LEVEL 1
L1.4	STORMWATER MANAGEMENT PLAN - LEVEL 1
L2.0	PLANT LIST + IMAGES



G | ALA

- L Reissued for Rezoning 2025
- K Reissued for Rezoning (Draft) 2025
- J Rain Garden Review 2025

A circular blue ink stamp with a decorative border of small triangles. The text inside the stamp is as follows:

BRITISH COLUMBIA SOCIETY OF
REGISTERED LANDSCAPE ARCHITECTS

514

BRYCE GAUTHIER

The stamp is dated with the numbers 04-03, 04-02, and 03-25 around the perimeter.

50 Government Street
Concept Design
50 Government Street
Victoria, BC

L0.1


OVERALL SITE PLAN

GENERAL TREE PROTECTION FENCING TYP NOTES:

1. ALL COMPONENTS AND WORKMANSHIP TO CONFORM TO BCLNA STANDARDS TYPICAL.
2. POSITION TREE STAKES INTO DIRECTION OF PREVAILING WINDS IF MINIMUM UTILITY SETBACKS PERMIT.
3. ALL TREE STAKES TO HAVE A MINIMUM 1.0m CLEARANCE FROM ALL U/G POWER, TELEPHONE AND GAS ALIGNMENTS.
4. ALL ROOTBALL HOLES TO BE DUG BY HAND WHEN CLOSER TO 1.0M (40") TO U/G POWER, TELEPHONE AND GAS ALIGNMENTS. FOR TREES WITH DRIPINES FROM 3M - 5M (9' - 15') FROM CONSTRUCTION ACTIVITY;
5. PLACE STANDARD 'SAFETY ORANGE' SNOWFENCE MIN. OF 4.5M (14'8") FROM TREE TRUNK. EXACT SIZE/SHAPE TO BE DETERMINED ON SITE
6. FOR EXCAVATION WITHIN 1-3M (3' - 9') OF ANY TREE'S DRIPLINE, ROOT PRUNING REQUIRED TO A DEPTH OF 500MM (20"). IMMEDIATELY AFTER EXCAVATION, PRUNE ALL EXPOSED ROOTS FLUSH WITH THE EXCAVATION WALL.
7. A MAXIMUM OF 25% OF ANY TREE'S ROOTS AT THE DRIPLINE SHOULD BE IMPACTED BY EXCAVATION IF THE TREE IS EXPECTED TO SURVIVE.
8. INSTALL AND MAINTAIN HOARDING IN CLEAN AND SAFE CONDITION THROUGHOUT CONSTRUCTION PROCESS.
9. HOARDING REQUIREMENTS ARE ON ALL EXISTING TREES THROUGHOUT CONSTRUCTION. ALL EQUIPMENT, SOIL, BUILDING MATERIAL AND OTHER DEBRIS SHALL BE KEPT OUTSIDE THE HOARDING.
10. IF HOARDING IS PUNCTURED AND DAMAGE OCCURS TO HOARDED TREE(S), NOTIFY LANDSCAPE ARCHITECT.
11. THE BEST METHOD TO AVOID SOIL COMPACTION IS TO KEEP OFF. THIS INCLUDES RESTRICTING ALL TRAFFIC BOTH VEHICULAR AND PEDESTRIAN FROM CROSSING OVER THE ROOT ZONES, AND RESTRICTING EVEN TEMPORARY MATERIAL STORAGE UNDER TREES.
12. EXCAVATION AROUND TREES WITHIN DRIP LINE OF TREES ONLY WHERE INDICATED ON PLANS AND AS DIRECTED BY THE CONSULTANT.
13. DURING ANY EXCAVATION WITHIN THE DRIP LINE OF A TREE THE CONTRACTOR SHALL EXCAVATE AROUND TREE ROOTS AS DIRECTED BY THE CONSULTANT. DO NOT CUT TREE ROOTS UNLESS DIRECTED BY THE CONSULTANT.
14. TREES AND OTHER DESIRABLE VEGETATION TO BE TOTALLY FENCED. FENCING TO BE MAINTAINED FOR THE DURATION OF THE PROJECT.
15. EXCAVATION FOR NEW CONSTRUCTION WITHIN THE DRIP LINES OF TREES: HAND EXCAVATE TO MINIMIZE DAMAGE TO ROOT SYSTEMS
16. USE NARROW TINE SPADING FORKS TO PROBE AND COMB SOIL TO EXPOSE ROOTS;
17. RELOCATE ROOTS INTO BACKFILL AREAS WHENEVER POSSIBLE. IF LARGE MAIN LATERAL ROOTS ARE ENCOUNTERED, EXPOSE BEYOND EXCAVATION LIMITS AS REQUIRED TO BEND AND RELOCATE WITHOUT BREAKING.
18. UTILITY TRENCHING WITHIN THE DRIP LINES OF TREES: TUNNEL UNDER AND AROUND ROOTS BY HAND DIGGING;
19. DO NOT CUT MAIN LATERAL ROOTS;
20. CUTTING OF SMALLER ROOTS THAT INTERFERE WITH INSTALLATION OF NEW WORK SHALL BE DONE WITH CLEAN SHARP TREE PRUNING TOOLS;
21. ROOTS THAT ARE ENCOUNTERED IMMEDIATELY ADJACENT TO THE LOCATION OF NEW CONSTRUCTION AND ARE TOO DIFFICULT TO RELOCATE SHALL BE CUT 150MM (6") BACK FROM NEW CONSTRUCTION. USE CLEAN SHARP TREE PRUNING TOOLS;
22. PROTECTION OF EXPOSED ROOTS: DO NOT ALLOW EXPOSED ROOTS TO DRY OUT PRIOR TO PLACEMENT OF PERMANENT COVER.
23. PROVIDE ONE OF THE FOLLOWING TEMPORARY REMEDIAL MEASURES:
24. A. PROVIDE TEMPORARY EARTH COVER. MAINTAIN MOISTURE.
- B. PACK WITH WET PEAT MOSS. MAINTAIN MOISTURE.
- C. PACK WITH FOUR LAYERS OF WET UNTREATED BURLAP. MAINTAIN MOISTURE.
25. TEMPORARILY SUPPORT AND PROTECT EXPOSED ROOTS FROM DAMAGE UNTIL PERMANENTLY RELOCATED AND COVERED WITH BACKFILL.
26. WATER PUDDLE BACKFILL AROUND ROOTS TO ELIMINATE Voids AND AIR POCKETS
27. REMOVAL OF STREET TREES TO THE SATISFACTION OF THE GENERAL MANAGER OF ENGINEERING SERVICES.

TREE MANAGEMENT PLAN

SYMBOL	DESCRIPTION
	TREE PROTECTION BARRIER FENCE Refer to Tree Protection Notes for Requirements
	EXISTING TREE TO BE RETAINED Refer to Arborist Report




TREE PROTECTION FENCING STANDARD


Tree Protection Fencing Specifications:

1. The fence will be constructed using 38 x 89 mm (2" x 4") wood frame:
 - Top, Bottom and Posts.*
 - Use orange snow fencing mesh and secure to the wood frame with "zip" ties or galvanized staples.
2. Attach a sign with minimum size of 407 mm x 610 mm (16" X 24") with the following wording:
 - a) **DO NOT ENTER**- Tree Protection Zone (For retained trees) or;
 - b) **DO NOT ENTER**- Future Tree Planting Zone (For tree planting sites)

This sign must be affixed on every fence face or at least every 10 linear metres.

*In rocky areas, metal posts (t-bar or rebar) drilled into rock will be accepted.






A PAVING



B BIKE RACK



D PLANTING




GENERAL LAYOUT + MATERIALS NOTES:

1. ALL DIMENSIONS ARE METRIC UNLESS OTHERWISE NOTED. VERIFY ALL DIMENSIONS WITH FIELD CONDITIONS. REPORT ANY DISCREPANCIES TO LANDSCAPE ARCHITECT FOR REVIEW AND RESPONSE.
2. ALL UTILITIES TO BE STAKED OUT BY CONTRACTOR AND PROTECTED FOR DURATION OF CONSTRUCTION PERIOD.
3. UNLESS OTHERWISE NOTED, PROVIDE A MINIMUM 2% SLOPE ON ALL HARD AND SOFT LANDSCAPE AREAS TO ENSURE POSITIVE DRAINAGE AWAY FROM BUILDINGS OR TO DRAINAGE STRUCTURES. MAXIMUM 3:1 SLOPE IN SOFT LANDSCAPE AREAS.
4. THE LAYOUT OF ALL HARDCAPE ITEMS, SITE FURNISHINGS, BOULDERS, LANDSCAPE LIGHTING, PLANTING BEDS AND OTHER MATERIALS IS TO BE STAKED OUT BY THE CONTRACTOR AND APPROVED BY THE LANDSCAPE ARCHITECT PRIOR TO INSTALLATION.
5. ALL SUBSTITUTIONS OF SPECIFIED MATERIALS TO BE APPROVED BY LANDSCAPE ARCHITECT.
6. THIS PLAN IS "NOT FOR CONSTRUCTION" AND IS TO BE SUBMITTED FOR REVIEW TO ENGINEERING SERVICES A MINIMUM OF 8 WEEKS PRIOR TO THE START OF ANY CONSTRUCTION PROPOSED FOR PUBLIC PROPERTY. NO WORK ON PUBLIC PROPERTY MAY BEGIN UNTIL SUCH PLANS RECEIVE "FOR CONSTRUCTION" APPROVAL AND RELATED PERMITS ARE ISSUED. PLEASE CONTACT ENGINEERING, DEVELOPMENT SERVICES AND/OR YOUR ENGINEERING, BUILDING SITE INSPECTOR FOR DETAILS.
7. MAINTENANCE AND IRRIGATION WILL BE PROVIDED TO ALL AREAS.

MATERIALS LEGEND


SYMBOL	DESCRIPTION
	PAVING TYPE 1 CIP Concrete Paving To City Standards
	PAVING TYPE 2 Permeable Pavers
	PAVING TYPE 3 River Rock Strip
	PLANTING TYPE 1 Lawn Area
	PLANTING TYPE 2 Shrub Area
	PLANTING TYPE 3 Rain Garden
	CIP CONCRETE STAIRS
	CONCRETE RETAINING WALL 6" Wide
	FENCE WITH POST FOUNDATIONS 6' High
	GUARDRAIL WITH GATE 3.5' High
	HANDRAIL 3' High
	METAL PERMALOC EDGING Black
	BIKE RACK 0.45 m x 1.8 m per Parking Stall
	CANOPY ABOVE
	WATER VAULT COVER
	EXISTING UTILITY POLE



GENERAL PLANTING NOTES:

1. ALL PLANTING SHALL BE IN ACCORDANCE WITH BC LANDSCAPE STANDARD, LATEST EDITION
2. ALL TREE AND SHRUB AREAS TO BE MULCHED WITH 50MM (2") OF MEDIUM FINE MULCH, LESS THAN 50MM (2") DIAMETER.
3. ROOTZONE TO REST ON TAMPED SOIL
4. SHRUBS: PREPARE PLANTING HOLES AS SPECIFIED. PLANT AT THE SAME GRADE AS NURSERY. WATER AND FERTILIZE AS SPECIFIED. ENSURE POSITIVE DRAINAGE THROUGHOUT PLANTING BED
5. TREE SIZE AND SPACING TO BE AS PER CITY OF VANCOUVER ARBORIST
6. TREE: PREPARE PLANTING HOLES AS SPECIFIED INSTALL TOP OF ROOTZONE 6" ABOVE FINISHED GRADE OF GROWING MEDIUM. WATER AND FERTILIZE AS SPECIFIED BY NURSERY.
7. FINAL SOFTSCAPE AND GRADING LAYOUTS AS WELL AS LOCATION SPACING TO BE APPROVED BY LANDSCAPE ARCHITECTS IN THE FIELD PRIOR TO INSTALLATION
8. IN CASE OF A DISCREPANCY BETWEEN PLANT INFORMATION ON THE LIST AND ON THE PLAN, THE LATTER SHALL PREVAIL
9. ALL PLANT MATERIAL TO BE MANUALLY WATERED FROM START OF INSTALLATION THROUGH THE END OF THE WARRANTY PERIOD
10. INSTALL TREE PROTECTION FENCING AROUND ALL EXISTING TREES TO CITY OF VANCOUVER STANDARDS. INSTALL TREE PROTECTION FENCING ON NEW PLANTING IF PHASED INSTALLATION IS REQUIRED.
11. FINAL PLANT SPACING, QUANTITY AND TREE PLACEMENT HAS BEEN REVIEWED TO THE SATISFACTION OF GENERAL MANAGER OF ENGINEERING SERVICES

				New Trees Proposed	Soil Volume Required	
	Area (m ²)	Soil Depth (m)	Estimated soil volume	Medium	Medium (m ³ / tree)	Total (m ³)
Planting Area	50	0.9	45	3	15	45




GENERAL GRADING NOTES:

1. ALL UTILITIES TO BE STAKED OUT BY CONTRACTOR AND PROTECTED FOR DURATION OF CONSTRUCTION PERIOD.
2. UNLESS OTHERWISE NOTED, PROVIDE A MINIMUM 2% SLOPE ON ALL HARD AND SOFT LANDSCAPE AREAS TO ENSURE POSITIVE DRAINAGE AWAY FROM BUILDINGS OR TO DRAINAGE STRUCTURES. MAXIMUM 3:1 SLOPE IN SOFT LANDSCAPE AREAS.
3. THE LAYOUT OF ALL PROPOSED HARDCAPE ITEMS, SITE FURNITURE, LIGHTING, PLANTING BEDS AND OTHER MATERIALS IS TO BE STAKED OUT BY THE CONTRACTOR AND APPROVED BY THE LANDSCAPE ARCHITECT PRIOR TO INSTALLATION.
4. ALL SUBSTITUTIONS OF SPECIFIED MATERIALS TO BE APPROVED BY LANDSCAPE ARCHITECT.
5. REFER TO CIVIL FOR EXCAVATION DEPTHS, BACKFILL, AND RASF MATERIAL FOR ALL LANDSCAPE ITEMS SHOWN ON PLAN.
6. SLOPE SHALL MATCH EXISTING GRADE ALONG ALL PROPERTY LINES.
7. REFER TO CIVIL ENGINEER'S PRECISE GRADING PLANS FOR SITE GRADING PLANS FOR SITE GRADING, DRAINAGE, AND UTILITY LOCATIONS. IF ACTUAL SITE CONDITIONS VARY FROM WHAT IS SHOWN ON THE LANDSCAPE ARCHITECT'S PLANS, THE CONTRACTOR SHALL CONTACT THE OWNER'S REPRESENTATIVE AND LANDSCAPE ARCHITECT FOR DIRECTION AS TO HOW TO PROCEED.
8. THE CONTRACTOR IS RESPONSIBLE FOR VERIFYING THE ACTUAL LOCATION AND ELEVATION IN THE FIELD PRIOR TO BEGINNING CONSTRUCTION. THE CONTRACTOR SHALL PROTECT ALL EXISTING UTILITIES AND SHALL BE RESPONSIBLE FOR ANY DAMAGE TO EXISTING UTILITIES ENCOUNTERED DURING CONSTRUCTION.
9. ALL PROPOSED GRADES ARE TO MEET AND BLEND IN WITH EXISTING GRADING AT PROJECT LIMITS, GRADING LIMITS, AND EXISTING SIDEWALK. PRECISE ELEVATIONS INDICATED ON PLANS TO BE VERIFIED IN FIELD TO AS-BUILT CONDITION.
10. THE DEBRIS CREATED BY LANDSCAPE GRADING OPERATIONS SHALL BECOME THE PROPERTY OF THE CONTRACTOR AND SHALL BE DISPOSED OF LEGALLY OFF SITE.
11. FINAL GRADING SHALL BE REVIEWED BY THE LANDSCAPE ARCHITECT IN THE FIELD PRIOR TO INSTALLATION OF PLANTING.


GRADING LEGEND

SYMBOL	DESCRIPTION
EL 0.00	PROPOSED ELEVATION
FFE 0.00	FINISHED FLOOR ELEVATION
TW 0.00	TOP OF WALL ELEVATION
BW 0.00	BOTTOM OF WALL ELEVATION
TS 0.00	TOP OF STAIRS ELEVATION
BS 0.00	BOTTOM OF STAIRS ELEVATION




UTILITY LEGEND

SYMBOL	DESCRIPTION
	EXISTING UTILITIES See Civil Drawings for Details
	PROPOSED UTILITIES See Civil Drawings for Details



STORMWATER MANAGEMENT LEGEND

SYMBOL	DESCRIPTION
	PERMEABLE AREA Total: 264.6 sqm
	IMPERVIOUS AREA Total: 66.4 sqm



OVERALL PLANT LIST

Symbol	Quantity	Latin Name	Common Name	Scheduled Size	Spacing	Notes
DECIDUOUS TREES:						
	3	<i>Fagus sylvatica 'Riversii'</i>	European Beech	#1 Pot		As Shown
SHRUBS:						
	15	<i>Gaultheria shallon</i>	Salal	#1 Pot	1'6" o.c.	
	11	<i>Hydrangea Limetta</i>	Limetta Hydrangea	#3 Pot	3'0" o.c.	
	8	<i>Hydrangea macrophylla 'Hokomarevo'</i>	Everlasting Revolution Hydrangea	#3 Pot	2'6" o.c.	
	16	<i>Ilex crenata 'Sky Pencil'</i>	Japanese Holly	#2 Pot	2'0" o.c.	
	2	<i>Mahonia nervosa</i>	Longleaf Mahonia	#2 Pot	1'6" o.c.	
	64	<i>Maianthemum racemosum</i>	False Solomon's Seal	#1 Pot	1'6" o.c.	
	4	<i>Rosa nutkana</i>	Nootka Rose	#5 Pot	4'0" o.c.	
	15	<i>Taxus x media 'Hicksii'</i>	Hick's Yew	1.25m. ht.	1'6" o.c.	
PERENNIALS, GRASSES, GROUNDCOVER:						
	58	<i>Adiantum pedatum</i>	American Maidenhair Fern	#2 Pot	3'0" o.c.	
	96	<i>Athyrium nipponicum 'Pictum'</i>	Japanese Painted Fern	#1 pot	3'0" o.c.	
	304	<i>Equisetum hyemale</i>	Scouring Rush Horsetail	#2 Pot	1'0" o.c.	
	17	<i>Iris sibirica</i>	Siberian Iris	#1 Pot	3'0" o.c.	
	16	<i>Polystichum munitum</i>	Western sword fern	#3 Pot	6'0" o.c.	

NOTES:

1. ALL PLANT MATERIAL AND LANDSCAPING PRACTICES SHALL BE COMPLIANT WITH THE LATEST EDITION OF THE BCLNA NURSERY STANDARD.
2. IN CASE OF DISCREPANCY BETWEEN PLANT INFORMATION ON THE LIST AND ON THE PLAN, THE LATTER SHALL PREVAIL.
3. FINAL SOFTSCAPE AND GRADING LAYOUTS AS WELL AS LOCATION AND SPACING TO BE APPROVED BY LANDSCAPE ARCHITECT IN THE FIELD PRIOR TO INSTALLATION.
4. ALL PLANT MATERIAL TO BE MANUALLY WATERED FROM START OF INSTALLATION THROUGH THE END OF THE WARRANTY PERIOD.
5. INSTALL TREE PROTECTION FENCING AROUND ALL EXISTING TREES TO CITY STANDARDS, INSTALL TREE PROTECTION FENCING ON NEW PLANTING IF PHASED INSTALLATION IS REQUIRED.
6. FINAL LOCATION, QUANTITY, TREE SPECIES TO THE SATISFACTION OF THE GENERAL MANAGER OF ENGINEERING.
7. NEW TREE MUST BE OF GOOD STANDARD, MINIMUM 6 CM CALIPER AND INSTALLED WITH APPROVED ROOT BARRIERS, TREE GUARDS AND APPROPRIATE SOIL.
8. ROOT BARRIERS SHALL BE 8'-0" (2.4M) LONG AND 18" (0.46M) DEEP; PLANTING DEPTH OF ROOT BALL MUST BE BELOW SIDEWALK GRADE. NEW STREET TREES TO BE CONFIRMED PRIOR TO ISSUANCE OF THE BUILDING PERMIT.

- Food-bearing plant
- Plant for nesting
- BC native plant

PLANT IMAGES

TREES



Fagus sylvatica 'Riversii'
European Beech

SHRUBS



Gaultheria shallon
Salal



Hydrangea Limetta
Limetta Hydrangea



Hydrangea macrophylla 'Hokomarevo'
Everlasting Revolution Hydrangea



Ilex crenata 'Sky Pencil'
Japanese Holly



Mahonia Nervosa
Compact Oregon Grape



Maianthemum racemosum
False Solomon's seal



Rosa nutkana
Nootka Rose



Taxus x media 'Hicksii'
Hick's Yew

GRASSES, FERNS, PERENNIALS



Adiantum pedatum
Maidenhair Fern



Athyrium nipponicum 'Pictum'
Japanese Painted fern




Equisetum hyemale
Rough horsetail



Iris sibirica
Siberian Iris



Polystichum munitum
Western Sword Fern



JUNE 12, 2025
ISSUED FOR DEVELOPMENT PERMIT

NOT FOR CONSTRUCTION

SCALE	HORI: 1:100	VERT: N/A
PROJECT NO.	2241-23141	ISSUED/REVISION
	5	
APPROVING AUTHORITY FILE NO.		
DRAWING NO.	23-141-00-CSP	


THIS DRAWING AND DESIGN IS THE PROPERTY OF McELHANNEY LTD. AND SHALL NOT BE USED, REUSED, OR REPRODUCED WITHOUT THE CONSENT OF THE SAID COMPANY. McELHANNEY LTD. WILL NOT BE HELD RESPONSIBLE FOR THE IMPROPER OR UNAUTHORIZED USE OF THIS DRAWING AND DESIGN.

NO.	DATE	BY	ISSUED	NO.	DATE	BY	REVISIONS
5	2025-06-12	NCD	ISSUED FOR DEVELOPMENT PERMIT				
4	2025-04-15	NCD	ISSUED FOR DEVELOPMENT PERMIT				
3	2024-10-07	NCD	ISSUED FOR DEVELOPMENT PERMIT				
2	2024-05-03	NCD	ISSUED FOR DEVELOPMENT PERMIT				
1	2024-01-15	NCD	ISSUED FOR DEVELOPMENT PERMIT				



McElhanney

500 - 3960 QUADRA STREET
VICTORIA, BC V8X 4A3
PH (250) 370-9221



2025-06-12

2025-06-12

2025-06-12

2025-06-12

2025-06-12

2025-06-12

2025-06-12

2025-06-12

2025-06-12

2025-06-12

2025-06-12

2025-06-12

2025-06-12

2025-06-12

2025-06-12

2025-06-12

2025-06-12

2025-06-12

2025-06-12

2025-06-12

2025-06-12